

HHP Compact Anchor

High Holding Power anchors allow a **25% weight reduction** compared to ordinary anchors.

The **most compact stockless anchor**, ideal for small anchor pockets.

Same weight, smallest size.

Made in Italy by qualified workers.

Constructed from **certified high tensile steel plates**.

10% shortened shank possible.

Available in the following finishes:

- Hot dip galvanized execution
- Electropolished
- Special stainless steel DUPLEX®,
- Super passivated



Its dual side plates enable efficient ground penetration and multi-directional holding, providing superior strength.

Certifications:




Fully Balanced
Unbalanced

Why COMPACT is compact?



HHP Compact Fully Balanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Lmm
60	440	516	500	283	123	665	80	22	172	107
90	503	591	573	323	141	761	92	25	197	123
120	554	650	630	356	155	841	104	28	217	135
136	577	678	657	371	162	875	104	28	226	141
160	610	716	694	392	171	929	116	32	239	148
200	657	771	747	423	184	989	116	32	257	160
240	698	819	794	449	196	1046	116	36	273	170
280	735	862	836	473	206	1121	140	40	287	179
360	799	938	909	514	224	1217	152	42	313	194
430	847	995	965	545	237	1294	165	45	332	206
495	888	1043	1011	571	249	1347	165	45	348	216
560	925	1086	1053	595	259	1394	165	45	362	225
600	947	1112	1078	609	265	1422	165	45	371	231
675	985	1156	1121	633	276	1471	165	45	385	240
720	1006	1181	1146	647	282	1498	165	45	394	245
765	1027	1206	1169	660	288	1525	165	45	402	250
800	1042	1224	1186	670	292	1544	165	45	408	254
900	1084	1273	1234	697	304	1618	180	50	424	264
1140	1173	1377	1335	754	329	1785	220	63	459	286
1575	1306	1534	1487	840	366	1955	220	63	511	318
2840	1590	1867	1810	1023	445	2380	265	80	622	387
3670	1732	2033	1971	114	485	2562	265	80	678	422
4840	1899	2230	2162	1221	532	2816	295	90	743	462
5175	1942	2280	2211	1249	544	2871	295	90	760	473
6525	2098	2463	2388	1349	588	3116	330	100	821	511
7015	2149	2523	2447	1382	602	3181	330	100	841	523
8595	2300	2700	2618	1479	644	3374	330	100	900	560
9225	2355	2764	2680	1515	660	3485	360	110	921	573
10125	2429	2852	2765	1562	680	3579	360	110	951	591
11250	2499	2934	2845	1607	700	3764	440	125	978	608
12525	2608	3061	2968	1677	731	3904	440	125	1020	635
13875	2698	3167	3071	1735	756	4019	440	125	1056	657
14100	2713	3184	3088	1745	760	4105	492	140	1061	660
15575	2804	3292	3192	1803	785	4221	492	140	1097	683



Custom:

We can customize your anchor as you like.


Fully Balanced

Note 1: Intermediate weights are also available upon request.

Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.

HHP Compact Unbalanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Lmm
60	440	516	500	321	74	616	80	22	172	107
90	503	591	573	367	84	704	92	25	197	123
120	554	650	630	404	93	779	104	28	217	135
136	577	678	657	421	97	806	104	28	226	141
160	610	716	694	445	102	860	116	32	239	148
200	657	771	747	479	110	915	116	32	257	160
240	698	819	794	509	117	967	116	36	273	170
280	735	862	836	536	123	1038	140	40	287	179
360	799	938	909	583	134	1127	152	42	313	194
430	847	995	965	618	142	1199	165	45	332	206
495	888	1043	1011	648	149	1247	165	45	348	216
560	925	1086	1053	675	155	1290	165	45	362	225
600	947	1112	1078	691	158	1315	165	45	371	231
675	985	1156	1121	719	165	1360	165	45	385	240
720	1006	1181	1146	734	168	1384	165	45	394	245
765	1027	1206	1169	749	172	1409	165	45	402	250
800	1042	1224	1186	760	174	1426	165	45	408	254
900	1084	1273	1234	791	181	1495	180	50	424	264
1140	1173	1377	1335	854	196	1652	220	63	459	286
1575	1306	1534	1487	953	218	1807	220	63	511	318
2840	1590	1867	1810	1160	266	2201	265	80	622	387
3670	1732	2033	1971	1264	290	2367	265	80	678	422
4840	1899	2230	2162	1385	318	2602	295	90	743	462
5175	1942	2280	2211	1417	325	2652	295	90	760	473
6525	2098	2463	2388	1531	351	2879	330	100	821	511
7015	2149	2523	2447	1568	359	2938	330	100	841	523
8595	2300	2700	2618	1678	385	3115	330	100	900	560
9225	2355	2764	2680	1718	394	3219	360	110	921	573
10125	2429	2852	2765	1772	406	3305	360	110	951	591
11250	2499	2934	2845	1823	418	3482	440	125	978	608
12525	2608	3061	2968	1903	436	3609	440	125	1020	635
13875	2698	3167	3071	1968	451	3714	440	125	1056	657
14100	2713	3184	3088	1979	454	3799	492	140	1061	660
15575	2804	3292	3192	2046	469	3905	492	140	1097	683



Custom:

We can customize your anchor as you like.

Unbalanced

Note 1: Intermediate weights are also available upon request.

Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.