

HHP HV® Anchor

The **HHP HV® Anchor** is suitable for most type of seabeds and it dig in quickly so that it's highly suggested for those area where it comes necessary a fast anchoring.






High Holding Power (HHP) anchors allow for a 25% reduction in weight compared to a mass anchor.

Additionally, a 10% reduction in shank length is possible, available in both balanced and unbalanced versions. The fully balanced means that the flukes of the anchor are in vertical position while heaving and will not damage the hull or get stuck behind the edge of the pocket.

Available in the following finishes:


- Specific painting
- Hot-dip galvanized
- Super yacht execution
- Mirror polished Duplex Stainless Steel
- Electropolished
- Passivated.

Certifications:



HHP HV® Fully Balanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Lmm
24	476	347	406	262	124	674	58	16	184	84
48	600	437	512	330	156	844	68	20	235	106
60	646	470	551	355	168	902	68	20	249	114
80	711	517	606	391	185	998	80	22	275	125
90	740	538	631	407	192	1034	80	22	286	130
105	779	560	658	429	202	1083	80	22	301	137
120	814	592	694	448	211	1142	92	25	314	143
125	826	601	704	454	214	1157	92	25	319	145
136	849	618	724	467	220	1186	92	25	328	149
145	867	631	739	477	225	1209	92	25	335	153
160	896	655	768	493	233	1246	92	25	346	158
180	932	678	795	513	242	1306	104	28	360	164
200	966	703	824	532	251	1349	104	28	373	170
225	1004	730	856	552	261	1397	104	28	388	177
270	1067	776	910	587	277	1476	104	28	412	188
315	1123	817	958	618	292	1563	116	32	434	198
360	1175	855	1002	647	305	1628	116	32	454	207
400	1217	885	1038	670	316	1697	128	36	470	214
480	1293	941	1103	711	336	1809	140	40	499	228
585	1381	1005	1178	760	359	1920	140	40	533	243
750	1500	1091	1279	825	389	2083	152	42	579	264
900	1594	1161	1360	877	414	2218	165	45	624	281
1195	1752	1276	1495	964	455	2437	180	50	686	308
1305	1804	1313	1538	993	468	2502	180	50	697	318
1500	1890	1376	1612	1040	491	2637	200	56	740	333
1710	1974	1437	1684	1087	512	2742	200	56	773	348
1980	2073	1509	1769	1141	538	2867	200	56	812	365
2140	2128	1549	1815	1171	552	2963	220	63	833	375
2475	2233	1626	1905	1229	580	3096	220	63	874	393
2840	2338	1702	1995	1287	607	3255	240	70	915	412
3240	2443	1779	2084	1345	634	3387	240	70	956	430
3670	2547	1832	2151	1401	661	3518	240	70	984	448
4000	2621	1908	2236	1443	680	3611	240	70	1026	461
4950	2814	2049	2400	1549	731	3890	265	80	1102	495



Custom:

We can customize your anchor as you like.


Fully Balanced

Note 1: Intermediate weights are also available upon request.

Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.

HHP HV® Unbalanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Lmm
24	480	344	413	314	75	645	58	16	192	95
48	604	432	520	395	94	806	68	20	241	115
60	651	466	561	426	101	840	68	20	260	110
80	720	515	620	471	112	934	80	22	288	120
90	745	533	642	488	116	963	80	22	298	120
105	784	561	675	513	122	1008	80	22	313	130
120	820	587	706	537	128	1063	92	25	328	140
125	831	595	716	544	129	1077	92	25	332	140
136	855	612	736	559	133	1105	92	25	342	140
145	873	625	752	571	136	1126	92	25	349	140
160	903	646	778	591	141	1161	92	25	361	150
180	939	672	809	614	146	1217	104	28	375	150
200	972	696	837	636	151	1255	104	28	388	160
225	1011	724	871	662	157	1300	104	28	404	160
270	1080	773	930	707	168	1380	104	28	432	180
315	1131	810	974	740	176	1455	116	32	452	180
360	1183	847	1019	774	184	1515	116	32	473	190
400	1225	877	1055	802	191	1580	128	36	490	200
480	1302	932	1121	852	203	1681	140	36	520	210
585	1390	995	1197	910	216	1786	140	40	556	220
750	1510	1081	1300	988	235	1937	152	42	604	260
900	1605	1149	1382	1050	250	2065	165	45	642	275
1195	1764	1263	1519	1154	275	2269	180	50	705	300
1305	1817	1301	1565	1189	283	2330	180	50	726	310
1500	1903	1362	1639	1245	296	2455	200	56	761	325
1710	1988	1423	1712	1301	310	2553	200	56	795	340
1980	2073	1484	1785	1357	323	2652	200	56	829	365
2140	2128	1523	1833	1393	331	2742	220	63	851	375
2475	2233	1598	1927	1461	348	2864	220	63	893	393
2840	2338	1673	2013	1530	364	3012	240	70	935	412
3240	2447	1751	2107	1601	381	3138	240	70	978	430
3670	2547	1823	2193	1667	397	3254	240	70	1018	448
4000	2621	1876	2257	1715	408	3339	240	70	1048	461
4950	2814	1014	2423	1841	438	3597	265	80	1125	495
4000	2621	1876	2257	1715	408	3339	240	70	1048	461
4950	2814	1014	2423	1841	438	3597	265	80	1125	495



Custom:

We can customize your anchor as you like.

Unbalanced

Note 1: Intermediate weights are also available upon request.
Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.