

SHHP PTW+® Anchor



PTW +® is **SHHP (or VHHP), Super High Holding Power Anchors** allow a **weight reduction of 50%** compared to an ordinary anchor.
Fully balanced or unbalanced
10% shortened shank possible.

Available in the following finishes:

- Specific painting
- Hot-dip galvanized
- Super yacht execution
- Mirror-polished Duplex Stainless Steel


And with a base plate allow for a disappearing mooring for total comfort during navigation. The plate can be made of a different material than the anchor.

Certifications:



SHHP PTW+® Fully Balanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm a+e+g+h	Gmm b	Hmm a	Imm	Lmm
17	381	358	346	229	135	588	58	14	132	75
25	434	407	393	260	154	660	58	14	150	85
33	476	446	431	286	169	717	58	14	165	93
37	494	464	448	297	175	754	68	17	171	97
50	546	513	496	328	194	840	80	20	189	107
62	587	551	532	352	208	895	80	20	203	115
79	637	597	577	382	226	963	80	20	220	125
97	682	639	618	409	242	1039	92	23	236	134
114	719	675	652	432	255	1089	92	23	249	141
138	767	719	695	460	272	1169	104	26	265	150
149	786	738	713	472	279	1195	104	26	272	154
167	817	766	741	490	290	1237	104	26	283	160
184	844	792	765	507	300	1274	104	26	292	165
219	894	839	811	537	317	1356	116	29	309	175
237	918	861	832	551	326	1389	116	29	318	180
255	941	883	853	565	334	1420	116	29	325	184
272	961	902	872	577	341	1447	116	29	332	188
320	1015	952	920	609	360	1520	116	29	351	199
347	1042	978	945	626	370	1572	128	32	361	204
373	1068	1002	968	641	379	1607	128	32	369	209
404	1097	1029	994	658	389	1646	128	32	379	215
474	1157	1085	1049	694	411	1744	140	36	400	227
509	1184	1111	1074	711	420	1780	140	36	410	232
617	1263	1185	1145	758	448	1903	152	40	437	248
724	1332	1250	1208	800	473	2002	152	45	461	261
817	1387	1301	1258	833	492	2076	152	45	480	272
856	1408	1322	1277	846	500	2138	180	50	487	276
1050	1508	1415	1367	905	535	2273	180	50	522	296
1230	1589	1491	1441	954	564	2383	180	50	550	312
1425	1669	1566	1514	1002	593	2517	200	55	577	327
1530	1709	1604	1550	1026	607	2571	200	55	591	335
1770	1794	1684	1627	1077	637	2686	200	55	621	352
2025	1877	1761	1702	1127	666	2798	200	55	649	368
2295	1957	1836	1774	1175	695	2932	220	60	677	384



Custom:

We can customize your anchor as you like.


Fully Balanced

Note 1: Intermediate weights are also available upon request.

Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.

SHHP PTW+® Unbalanced Anchor

Weight kg	Amm	Bmm	Cmm	Dmm	Emm	Fmm	Gmm	Hmm	Imm	Lmm
17	381	358	346	258	104	534	58	14	132	75
25	434	407	393	294	119	598	58	14	150	85
33	476	446	431	323	130	648	58	14	165	93
37	494	464	448	335	135	684	68	17	171	97
50	546	513	496	370	149	762	80	20	189	107
62	587	551	532	398	161	812	80	20	203	115
79	637	597	577	432	174	871	80	20	220	125
97	682	639	618	463	187	941	92	23	236	134
114	719	675	652	488	197	987	92	23	249	141
138	767	719	695	520	210	1059	104	26	265	150
149	786	738	713	533	215	1083	104	26	272	154
167	817	766	741	554	223	1119	104	26	283	160
184	844	792	765	573	231	1153	104	26	292	165
219	894	839	811	606	245	1229	116	29	309	175
237	918	861	832	623	251	1257	116	29	318	180
255	941	883	853	638	257	1285	116	29	325	184
272	961	902	872	652	263	1310	116	29	332	188
320	1015	952	920	689	278	1375	116	29	351	199
347	1042	978	945	707	285	1423	128	32	361	204
373	1068	1002	968	724	292	1454	128	32	369	209
404	1097	1029	994	744	300	1489	128	32	379	215
474	1157	1085	1049	785	316	1577	140	36	400	227
509	1184	1111	1074	803	324	1611	140	36	410	232
617	1263	1185	1145	857	345	1722	152	40	437	248
724	1332	1250	1208	904	364	1811	152	45	461	261
817	1387	1301	1258	941	379	1877	152	45	480	272
856	1408	1322	1277	955	385	1937	180	50	487	276
1050	1508	1415	1367	1023	412	2057	180	50	522	296
1230	1589	1491	1441	1078	435	2156	180	50	550	312
1425	1669	1566	1514	1132	456	2277	200	55	577	327
1530	1709	1604	1550	1159	467	2326	200	55	591	335
1770	1794	1684	1627	1201	484	2423	200	55	621	352
2025	1877	1761	1702	1273	513	2529	200	55	649	368
2295	1957	1836	1774	1328	535	2651	220	60	677	384



Custom:

We can customize your anchor as you like.

Unbalanced

Note 1: Intermediate weights are also available upon request.

Note 2: Table measurements may vary by model. Contact us for details. Posidonia is not liable for discrepancies.